


Modus 2.0

PEDRALI®

MD/2A_110 - MD/2A_140

DESIGN
Pedrali R&D

100%
MADE IN
ITALY




EN: Modular corner bench with seat and backrest upholstered on both sides with fabric-covered fire-retardant polyurethane foam and extruded aluminium plinth

IT: Panca modulare angolare con seduta e schienale imbottiti su entrambi i lati con schiumato poliuretano ignifugo rivestito in tessuto e zoccolo in estruso di alluminio
DE: Modulare Eckbank mit Sitz und Rückenlehne, beidseitig gepolstert mit stoffbezogenem, feuerhemmendem Polyurethanschaum und Sockel aus stranggepresstem Aluminium
FR: Banc d'angle modulaire avec assise et dossier garnis sur les deux faces de mousse polyuréthane ignifugée recouverte de tissu et socle en aluminium extrudé
ES: Banco modular de esquina con asiento y respaldo tapizados por ambos lados con espuma de poliuretano ignífuga recubierta de tela y zócalo de aluminio extruido

mm - in

• MD/2A_110



Disassembled
Da assemblare




mc 0,94
ft³ 33.2



kg 98
lb 216.1

• MD/2A_140



Disassembled
Da assemblare



mc 1,1
ft³ 38.9



kg 110
lb 242.5

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

EN: Steel structure
IT: Struttura in acciaio
DE: Stahlkonstruktion
FR: Structure en acier
ES: Estructura de acero

Reproduction of this document is strictly prohibited without prior written authorisation from Pedrali SpA. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Pedrali SpA. Dimensioni, pesi e finiture possono variare senza alcun preavviso.

ST_MODUS_2.0_MD/2A_110_MD/2A_140_2022.0

MD/2A_110 - MD/2A_140

DESIGN
Pedrali R&D**FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN**

EN: Powder coating
IT: Verniciato con polvere
DE: Pulverbeschichtet
FR: Époxy à poudre
ES: Barnizado con polvo

**NERO****• BACKREST - SCHIENALE - RÜCKENLEHNE - DOSSIER - RESPALDO**

EN: Wooden frame, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric
IT: Struttura in legno, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1IM, Crib 5), rivestita in tessuto
DE: Holzrahmen, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), schwer entflammbar (Klasse 1IM, Krippe 5), mit Stoff bezogen
FR: Cadre en bois, rembourré de polyuréthane flexible (densité 60 kg/m³), ignifuge (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera, acolchado de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib 5), recubierto de tela

EN: Available finish: plain (L), with horizontal stitching (C), with vertical stitching (V)
IT: Finitura disponibile: liscio (L), con cuciture orizzontali (C), con cuciture verticali (V)

• SEAT - SEDILE - SITZFLÄCHE - ASSISE - ASIENTO

EN: Wooden frame with steel reinforcements, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric
IT: Struttura in legno con rinforzi in acciaio, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1IM, Crib 5), rivestita in tessuto
DE: Holzrahmen mit Stahlverstärkung, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), flammhemmend (Klasse 1IM, Crib 5), mit Stoff bezogen
FR: Cadre en bois avec renforts en acier, rembourré en polyuréthane flexible (densité 60 kg/m³), ignifugé (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera con refuerzos de acero, acolchado de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib 5), recubierto de tela

• FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. A, C (Excluding / Escluso C36÷C39, C83÷C89, C100÷C101, C110÷C122), D40÷D44, E, G, H, N

• BASEBOARD - ZOCCOLO - SOCKELLEISTEN - SOCLE - ZÓCALO

EN: Extruded aluminium
IT: Estruso di alluminio
DE: Stranggepresstes Aluminium
FR: Aluminium extrudé
ES: Aluminio extruido

BASEBOARD FINISH - FINITURA ZOCCOLO - AUSFÜHRUNG DER SOCKELLEISTE - FINITIONS SOCLE - ACABADO ZÓCALO

EN: Matt black anodised
IT: Anodizzato nero opaco
DE: Mattschwarz eloxiert
FR: Anodisé noir mat
ES: Anodizado negro mate

**NE**

MD/2A_110 - MD/2A_140

DESIGN
Pedrali R&D

EN: **Satin**
IT: Satinato
DE: Satin
FR: Satin
ES: Satén



AS

EN: **Antique brass**
IT: Ottone anticato
DE: Messing Antik
FR: Laiton vieilli
ES: Latón antiguo



OA2

• FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: **Adjustable black polypropylene feet, Ø 30 mm**
IT: Piedini in polipropilene regolabili neri, Ø 30 mm
DE: Verstellbare Füße aus schwarzem Polypropylen, Ø 30 mm
FR: Pieds réglables en polypropylène noir, Ø 30 mm
ES: Pies ajustables de polipropileno negro, Ø 30 mm

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios


code **K_MD/2A_M**

EN: **Laminate or Fenix® shelf 40 mm thick**
IT: Mensola in laminato o Fenix® spessore 40 mm
DE: Laminat oder Fenix®-Regal 40 mm dick
FR: Stratifié ou tablette Fenix® de 40 mm d'épaisseur
ES: Estante de laminado o Fenix® de 40 mm de grosor

EN: **Only for bench height 1400 mm**
IT: Solo per panche altezza 1400 mm

SHELF FINISH - FINITURA MENSOLA - REGALBESCHICHTUNG - FINITION DE L'EMBALLAGE - ACABADO DE LA ESTANTERIA

LAMINATE




FENIX®




*Anti-fingerprint finish
Finitura anti-impronta

• **K_MD/2A_M_finitura_L_137**



• **K_MD/2A_M_finitura**



MD/2A_110 - MD/2A_140

DESIGN
Pedrali R&D

REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	11,86	10,79	YES	33,2	100
Extruded aluminium Alluminio estruso	3,6	3,27	YES	0	100
Polypropylene Polipropilene	0,12	0,11	YES	0	100
Polyurethan foam Poliuretano espanso	17,09	15,54	NO	0	0
Chipboard Truciolare	51,9	47,20	NO	90	0
MDF MDF	20,68	18,81	NO	90	0
Fabric Tessuto	4,71	4,28	NO	0	0
TOTAL TOTALE	109,96 Kg	--	--	63,0 %	14,2 %

EN: Percentages referred to MD/2A_140

IT: Percentuali riferite al MD/2A_140

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001
Environmental management system
Sistema di gestione ambientale

ISO 9001
Quality management system
Sistema di gestione della qualità



Reproduction of this document is strictly prohibited without prior written authorisation from Pedrali SpA. Sizes, weights and finishes may change without previous notice. È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Pedrali SpA. Dimensioni, pesi e finiture possono variare senza alcun preavviso.

ST_MODUS_2.0_MD/2A_110_MD/2A_140_2022.0

Modus 2.0

PEDRALI®

MD/2C60_140

DESIGN
Pedrali R&D

100%
MADE IN
ITALY





EN: Curved modular bench with seat and backrest upholstered on both sides with fabric-covered fire-retardant polyurethane foam and extruded aluminium plinth

IT: Panca modulare curva con seduta e schienale imbottiti su entrambi i lati con schiumato poliuretano ignifugo rivestito in tessuto e zoccolo in estruso di alluminio
DE: Modulare gebogene Bank mit Sitz und Rückenlehne, beidseitig gepolstert mit stoffbezogenem, feuerhemmendem Polyurethanschaum und Sockel aus stranggepresstem Aluminium

FR: Banc modulaire courbe avec assise et dossier rembourrés sur les deux faces en mousse de polyuréthane ignifugée recouverte de tissu et socle en aluminium extrudé
ES: Banco modular curvo con asiento y respaldo tapizados por ambos lados con espuma de poliuretano ignífuga recubierta de tela y zócalo de aluminio extruido

mm - in

• MD/2C60_140





Disassembled
Da assemblare



mc 0,86
ft³ 30.4

kg 45
lb 99.2

• MD/2C60_140 (*curva + lineare*)



• MD/2C60_140 (2 pcs/pz)




Reproduction of this document is strictly prohibited without prior written authorisation from Pedrali SpA. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Pedrali SpA. Dimensioni, pesi e finiture possono variare senza alcun preavviso.

ST_MODUS_2.0_MD/2C60_140_2022.0


MD/2C60_140

DESIGN
Pedrali R&D

• MD/2C60_140 (3 pcs/pz)



• MD/2C60_140 (4 pcs/pz)



MATERIALS

Materiali
Materialien
Matériaux
Materiales

• FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

EN: Steel structure
IT: Struttura in acciaio
DE: Stahlkonstruktion
FR: Structure en acier
ES: Estructura de acero

FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN

EN: Powder coating
IT: Verniciato con polvere
DE: Pulverbeschichtet
FR: Époxy à poudre
ES: Barnizado con polvo



NERO

• BACKREST - SCHIENALE - RÜCKENLEHNE - DOSSIER - RESPALDO

EN: Wooden frame, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric
IT: Struttura in legno, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1IM, Crib 5), rivestita in tessuto
DE: Holzrahmen, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), schwer entflammbar (Klasse 1IM, Krippe 5), mit Stoff bezogen
FR: Cadre en bois, rembourré de polyuréthane flexible (densité 60 kg/m³), ignifuge (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera, acolchado de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib 5), recubierto de tela

EN: Available finish: plain (L), with horizontal stitching (C), with vertical stitching (V)
IT: Finitura disponibile : liscio (L), con cuciture orizzontali (C), con cuciture verticali (V)

• SEAT - SEDILE - SITZFLÄCHE - ASSISE - ASIENTO

EN: Wooden frame with steel reinforcements, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric
IT: Struttura in legno con rinforzi in acciaio, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1IM, Crib 5), rivestita in tessuto
DE: Holzrahmen mit Stahlverstärkung, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), flammhemmend (Klasse 1IM, Crib 5), mit Stoff bezogen
FR: Cadre en bois avec renforts en acier, rembourré en polyuréthane flexible (densité 60 kg/m³), ignifugé (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera con refuerzos de acero, acolchado de poliuretano flexible (densidad 60 kg/m³), ignifugo (clase 1IM, Crib 5), recubierto de tela

MD/2C60_140

DESIGN
Pedrali R&D

• **FABRIC** - TESSUTO - STOFF - TISSU - TEJIDO

Cat. A, C (Excluding / Escluso C36÷C39, C83÷C89, C100÷C101, C110÷C122), D40÷D44, E, G, H, N

• **BASEBOARD** - ZOCCOLO - SOCKELLEISTEN - SOCLE - ZÓCALO

EN: Extruded aluminium

IT: Estruso di alluminio

DE: Stranggepresstes Aluminium

FR: Aluminium extrudé

ES: Aluminio extruido

BASEBOARD FINISH - FINITURA ZOCCOLO - AUSFÜHRUNG DER SOCKELLEISTE - FINITIONS SOCLE - ACABADO ZÓCALO

EN: Matt black anodised

IT: Anodizzato nero opaco

DE: Mattschwarz eloxiert

FR: Anodisé noir mat

ES: Anodizado negro mate



NE

EN: Satin

IT: Satinato

DE: Satin

FR: Satin

ES: Satén



AS

EN: Antique brass

IT: Ottone anticato

DE: Messing Antik

FR: Laiton vieilli

ES: Latón antiguo



OA2

• **FEET** - PIEDINI - GLEITER - PATINS - TACOS

EN: Adjustable black polypropylene feet, Ø 30 mm

IT: Piedini in polipropilene regolabili neri, Ø 30 mm

DE: Verstellbare Füße aus schwarzem Polypropylen, Ø 30 mm

FR: Pieds réglables en polypropylène noir, Ø 30 mm

ES: Pies ajustables de polipropileno negro, Ø 30 mm

MD/2C60_140

DESIGN
Pedrali R&D

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios


code K_MD/2C60_M

EN: Laminate or Fenix® shelf 40 mm thick
IT: Mensola in laminato o Fenix® spessore 40 mm
DE: Laminat oder Fenix®-Regal 40 mm dick
FR: Stratifié ou tablette Fenix® de 40 mm d'épaisseur
ES: Estante de laminado o Fenix® de 40 mm de grosor


EN: Only for bench height 1400 mm
IT: Solo per panche altezza 1400 mm

SHELF FINISH - FINITURA MENSOLA - REGALBESCHICHTUNG - FINITION DE L'EMBALLAGE - ACABADO DE LA ESTANTERÍA

LAMINATE




FENIX®




***Anti-fingerprint finish**
Finitura anti-impronta


• Single curved shelf




• Double curved shelf



• Triple curved shelf



• Quadruple curved shelf



REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilità del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	8,99	20,	YES	33,2	100
Extruded aluminium Alluminio estruso	2,5	5,56	YES	0	100
Polypropylene Polipropilene	0,10	0,22	YES	0	100
Polyurethan foam Poliuretano espanso	7,12	15,84	NO	0	0
Chipboard Truciolare	15,54	34,57	NO	90	0
MDF MDF	9,4	20,91	NO	90	0
Fabric Tessuto	1,31	2,90	NO	0	0
TOTAL TOTALE	44,96 Kg	--	--	56,6 %	25,8 %

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001
Environmental management system
Sistema di gestione ambientale

ISO 9001
Quality management system
Sistema di gestione della qualità



Modus 2.0

PEDRALI[®]

MD/2L_110 - MD/2L_140

DESIGN
Pedrali R&D

100%
MADE IN
ITALY



EN: Linear modular bench with seat and backrest upholstered on both sides with fabric-covered fire-retardant polyurethane foam and extruded aluminium plinth

IT: Panca modulare lineare con seduta e schienale imbottiti su entrambi i lati con schiumato poliuretano ignifugo rivestito in tessuto e zoccolo in estruso di alluminio


DE: Lineare, modulare Bank mit Sitz und Rückenlehne, beidseitig gepolstert mit stoffbezogenem, feuerhemmendem Polyurethanschaum und Sockel aus stranggepresstem Aluminium

FR: Banc modulaire linéaire avec assise et dossier garnis sur les deux faces de mousse polyuréthane ignifugée recouverte de tissu et socle en aluminium extrudé


ES: Banco modular lineal con asiento y respaldo tapizados por ambas caras con espuma de poliuretano ignífuga recubierta de tela y zócalo de aluminio extruido

mm - in


• MD/2L_110



• MD/2L_110_L100



• MD/2L_140





MD/2L_110 - MD/2L_140

DESIGN
Pedrali R&D

mm - in

• MD/2L_140_L100

90 - 3.5



Disassembled
Da assemblare

mc 0,55
ft³ 19.4

kg 54
lb 119.1

MATERIALS

Materiali
Materialien
Matériaux
Materiales

• FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

EN: Steel structure
IT: Struttura in acciaio
DE: Stahlkonstruktion
FR: Structure en acier
ES: Estructura de acero

FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN

EN: Powder coating
IT: Verniciato con polvere
DE: Pulverbeschichtet
FR: Époxy à poudre
ES: Barnizado con polvo



• BACKREST - SCHIENALE - RÜCKENLEHNE - DOSSIER - RESPALDO

EN: Wooden frame, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric
IT: Struttura in legno, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1 IM, Crib 5), rivestita in tessuto
DE: Holzrahmen, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), schwer entflammbar (Klasse 1IM, Krippe 5), mit Stoff bezogen
FR: Cadre en bois, rembourré de polyuréthane flexible (densité 60 kg/m³), ignifuge (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera, acolchado de poliuretano flexible (densidad 60 kg/m³), ignífugo (clase 1IM, Crib 5), recubierto de tela

EN: Available finish: plain (L), with horizontal stitching (C), with vertical stitching (V)
IT: Finitura disponibile: liscio (L), con cuciture orizzontali (C), con cuciture verticali (V)

• SEAT - SEDILE - SITZFLÄCHE - ASSISE - ASIENTO

EN: Wooden frame with steel reinforcements, padded with flexible polyurethane (density 60 kg/m³), flame retardant (class 1IM, Crib 5), covered with fabric

IT: Struttura in legno con rinforzi in acciaio, imbottito in poliuretano flessibile (densità 60 kg/m³), ignifugo (classe 1IM, Crib 5), rivestita in tessuto
DE: Holzrahmen mit Stahlverstärkung, gepolstert mit flexiblem Polyurethan (Dichte 60 kg/m³), flammhemmend (Klasse 1IM, Crib 5), mit Stoff bezogen
FR: Cadre en bois avec renforts en acier, rembourré en polyuréthane flexible (densité 60 kg/m³), ignifugé (classe 1IM, Crib 5), recouvert de tissu
ES: Marco de madera con refuerzos de acero, acolchado de poliuretano flexible (densidad 60 kg/m³), ignífugo (clase 1IM, Crib 5), recubierto de tela

• FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. A, C (Excluding / Escluso C36÷C39, C83÷C89, C100÷C101, C110÷C122), D40÷D44, E, G, H, N

MD/2L_110 - MD/2L_140

DESIGN
Pedrali R&D

• BASEBOARD - ZOCCOLO - SOCKELLEISTEN - SOCLE - ZÓCALO

EN: Extruded aluminium

IT: Estruso di alluminio
DE: Stranggepresstes Aluminium
FR: Aluminium extrudé
ES: Aluminio extruido

BASEBOARD FINISH - FINITURA ZOCCOLO - AUSFÜHRUNG DER SOCKELLEISTE - FINITIONS SOCLE - ACABADO ZÓCALO

EN: Matt black anodised

IT: Anodizzato nero opaco
DE: Mattschwarz eloxiert
FR: Anodisé noir mat
ES: Anodizado negro mate



NE

EN: Satin

IT: Satinato
DE: Satin
FR: Satin
ES: Satén



AS

EN: Antique brass

IT: Ottone anticato
DE: Messing Antik
FR: Laiton vieilli
ES: Latón antiguo



OA2

• FEET - PIEDINI - GLEITER - PATINS - TACOS

EN: Adjustable black polypropylene feet, Ø 30 mm

IT: Piedini in polipropilene regolabili neri, Ø 30 mm
DE: Verstellbare Füße aus schwarzem Polypropylen, Ø 30 mm
FR: Pieds réglables en polypropylène noir, Ø 30 mm
ES: Pies ajustables de polipropileno negro, Ø 30 mm

ACCESSORIES

Accessori
Zubehörteile
Accessoires
Accesorios

code K_MD/2L_M

EN: Laminate or Fenix® shelf 40 mm thick

IT: Mensola in laminato o Fenix® spessore 40 mm
DE: Laminat oder Fenix®-Regal 40 mm dick
FR: Stratifié ou tablette Fenix® de 40 mm d'épaisseur
ES: Estante de laminado o Fenix® de 40 mm de grosor

EN: Only for bench height 1400 mm

IT: Solo per panche altezza 1400 mm

SHELF FINISH - FINITURA MENSOLA - REGALBESCHICHTUNG - FINITION DE L'EMBALLAGE - ACABADO DE LA ESTANTERÍA

LAMINATE



312



421



406_0020



4575

FENIX®



0720*




0029*

***Anti-fingerprint finish**
Finitura anti-impronta


MD/2L_110 - MD/2L_140

DESIGN
Pedrali R&D

• K_MD/2L_M_finitura_L100



• K_MD/2L_M_finitura_L130



REGULATIONS AND CERTIFICATES

Normative e Certificazioni
Bestimmungen und Zertifikat
Normatives et certifications
Normativas y certificados

• ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilita' del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	10,2	15,88	YES	33,2	100
Extruded aluminium Alluminio estruso	2,5	3,89	YES	0	100
Polypropylene Polipropilene	0,10	0,16	YES	0	100
Polyurethan foam Poliuretano espanso	9,685	15,08	NO	0	0
Chipboard Truciolare	29,201	45,46	NO	90	0
MDF MDF	10,7	16,66	NO	90	0
Fabric Tessuto	1,85	2,88	NO	0	0
TOTAL TOTALE	64,24	--	--	61,2 %	19,9 %

EN: Percentages referred to MD/2L_140

IT: Percentuali riferite al MD/2L_140

• COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

ISO 14001
Environmental management system
Sistema di gestione ambientale

ISO 9001
Quality management system
Sistema di gestione della qualità

